

INTERFERENCE SEARCH

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	13	(manag\$6 with histor\$4 with fee).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/01/15 10:56
L2	2	(open adj file adj table with register\$5).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/01/15 10:55
L3	0	(open adj file adj table with session).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/01/15 10:55
L4	236	(manag\$6 with histor\$4 with access\$5).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/01/15 10:56
L5	22	(manag\$6 with histor\$4 with access\$5 with file).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/01/15 10:56

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S10 5	2740	726/3-7.ccls. and (@ad<"20031113" or @rlad<"20031113")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/01/15 08:50
S12 4	6151	705/50-79.ccls. and (@ad<"20031113" or @rlad<"20031113")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/01/15 08:51
S12 3	2824	726/3-7.ccls. and (@ad<"20031113" or @rlad<"20031113")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/01/15 08:51
(S12 2)	4	726/1-3.ccls. and (@ad<"20031113" or @rlad<"20031113") and database same request\$4 same fee	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/01/15 08:51
(S10 8)	10	705/50-79.ccls. and (@ad<"20031113" or @rlad<"20031113") and (open with file with table)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/01/15 08:51
ing (S12 7)	234	S126 and @pd>"20071022"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/01/15 08:52
S12 6	9536	S123 S124 S125	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/01/15 08:52
S12 5	1573	726/1-3.ccls. and (@ad<"20031113" or @rlad<"20031113")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/01/15 08:52
S13 6	2227	S134 S135	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/01/15 08:53
S13 5	1352	(S130 S131) and (@ad<"20031113" or @rlad<"20031113")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/01/15 08:53
S13 4	880	(S133) and (@ad<"20031113" or @rlad<"20031113") and @pd>"20061120"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/01/15 08:53

EAST Search History

S13 3	6364	S132	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/01/15 08:53
S13 2	6364	709/217,218.ccls. and (@ad<"20031113" or @rlad<"20031113")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/01/15 08:53
S13 1	768	713/165.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/01/15 08:53
S13 0	935	713/155.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/01/15 08:53
(S12 9)	3	database with request\$4 with protocol with conver\$6 and (@ad<"20031113" @rlad<"20031113") and @pd>"20071022"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/01/15 08:53
S12 8	0	(open adj file adj table) and (@ad<"20031113" or @rlad<"20031113") and @pd>"20071022"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/01/15 08:53
(S98)	21	(open adj file adj table) and (@ad<"20031113" or @rlad<"20031113")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/01/15 08:53
S60	67	S59 and write adj request	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/01/15 08:53
S19	64	database with request\$4 with protocol with conver\$6 and (@ad<"20031113")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/01/15 08:53
(S13 7)	3	S136 and write adj request and @pd>"20071022"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/01/15 08:54
S13 8	0	database with request\$4 with protocol near2 conver\$6 and (@ad<"20031113" @rlad<"20031113") and @pd>"20071022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/15 10:48

EAST Search History

S75	9	database with request\$4 with protocol near2 conver\$6 and (@ad<"20031113" @rlad<"20031113") and (@pd>"20060701")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/15 10:48
S14 1	9	request\$4 with access\$4 same ((identification ID file) near3 (info information)) same first same second and (@ad<"20031113" or @rlad<"20031113") and @pd>"20071022"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/01/15 10:49
S14 0	3	database with request\$4 with protocol with conver\$6 and @pd>"20071022" and (@ad<"20031113" or @rlad<"20031113")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/01/15 10:49
S13 9	7	database with request\$4 with protocol with conver\$6 and @pd>"20071022"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/01/15 10:49
S11 4	105	database with request\$4 with protocol with conver\$6	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/01/15 10:49
S3	423	request\$4 with access\$4 same ((identification ID file) near3 (info information)) same first same second	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/01/15 10:49
S14 3	0	database with timestamp with directory and (@ad<"20031113" or @rlad<"20031113") and @pd>"20071022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/15 10:50
S14 2	0	request\$4 with access\$4 same ((identification ID file) near3 (info information)) same first same second and (protect\$6) same (write writing wrote) and (@ad<"20031113" or @rlad<"20031113") and @pd>"20071022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/15 10:50
S11 2	15	database with timestamp with directory	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/01/15 10:50
S32	25	request\$4 with access\$4 same ((identification ID file) near3 (info information)) same first same second and (protect\$6) same (write writing wrote)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/01/15 10:50